



For internal use only
 Event Code: _____

OVERDOSE PREVENTION AND HARM REDUCTION PRE-TEST

Please indicate your level of agreement with the statements below. *Circle the number.*

	Strongly disagree	Disagree	Neither agree nor disagree	Agree	Strongly agree
I know about opioid overdose signs and symptoms.	1	2	3	4	5
I know about how to reverse an opioid overdose.	1	2	3	4	5
I know about opioid dependence and opioid use disorders.	1	2	3	4	5
Opioid dependence and/or opioid use disorders are diseases.	1	2	3	4	5
Addiction is not a health problem, but a moral failing.	1	2	3	4	5

1. Which of the following drugs are opioids?

- Heroin, Xanax, Morphine, Methadone
- Heroin, Morphine, Fentanyl, Hydrocodone
- Heroin, Xanax, Methadone, Oxycodone
- Heroin, Morphine, Ecstasy, Methadone

2. Where do **youth** get **MOST** of their illicit prescription drugs from?

- Obtained free from friend or relative.
- Prescribed by one doctor.
- From a drug dealer or stranger.
- Bought from friend or relative.

3. When someone needs to take more drugs to reach the same feeling as they did before when they took a lesser amount refers to what?

- Addiction
- Physical Dependence
- Drug Abuse
- Tolerance



For internal use only

Event Code: _____

4. What puts people at risk of overdosing? (Circle all that apply)

- Combining opiates with other drugs
- Being alone when using the drug.
- Changing the way they use the drug.
- Buying drugs from someone new.

5. Which of the following are symptoms of an opioid overdose?

- Clammy skin, unresponsiveness to external stimuli, making a “snoring” sound
- Pupils constricted, slurred speech
- Scratching skin
- Muscles are slack and droopy, “nodding out”

6. According to the National Institute on Drug Abuse, of all of the drug overdose deaths in the United States, which of the following statements is true?

- Opioids account for 78% of those deaths
- Opioids account for 75% of those deaths
- Opioids account for 68% of those deaths
- Opioids account for 65% of those deaths.

7. How many people die of overdose every day in the US?

- 109
- 144
- 63
- 192

8. Approved in 2010, Illinois Public Act 096-0361 allows:

- The ability for people to get clean needles at needle exchanges.
- People to get prescriptions for medical use of marijuana
- The expansion of Opioid Treatment Programs
- Authorization of trained responders to possess and administer naloxone to a person experiencing a drug overdose under Standing Order.

9. You must report any used, lost, or stolen naloxone you have received from our program to our office within how many business days?

- 1
- 2
- 5
- 10



For internal use only

Event Code: _____

10. Which drugs will naloxone work on? (Circle all that apply)

- Heroin
- Xanax
- Methadone
- Fentanyl

11. Cocaine and other stimulants have what effect when taken with an opiate?

- Increase risk of overdose
- Decrease risk of overdose
- No effect regarding overdose

12. Which of the following drug effects lasts the longest?

- Demerol
- Heroin
- Methadone
- Fentanyl

13. Opioid overdose can occur when: (Circle all that are true)

- A patient misuses a prescription opioid or heroin.
- When a patient takes an opioid as directed, but the prescriber miscalculated the opioid dose or an error was made by the dispensing pharmacist.
- The patient misunderstood the directions for use.
- Person uses illegal drug and isn't used to the strength, or it is combined with other drugs with or without the user's knowledge.

14. Which of the following indicates an opioid overdose?

- Person is vomiting
- Person is unresponsive to sternal rub
- Breathing is slowed down
- Breathing is sped up

15. How long is Overdose Responder Certification good for?

- 1 year
- 2 years
- 3 years
- There is no time period



For internal use only

Event Code: _____

16. What is the average temperature range that naloxone should be kept?

- 33 - 55 degrees
- 40 - 70 degrees
- 40 - 80 degrees
- 59 - 86 degrees

17. It is hard to prevent someone from dying from a drug overdose since people typically use drugs in private.

Answer (Circle One): TRUE FALSE.

18. Most people die from opioid overdoses within a few minutes of taking the drug.

Answer (Circle One): TRUE FALSE.

19. Addiction can include physical dependence, is distinguished by compulsive drug seeking and use despite sometimes devastating consequences.

Answer (Circle One): TRUE FALSE

20. People sometimes come out of an overdose by themselves.

Answer (Circle One): TRUE FALSE.

21. Naloxone is also known as Narcan.

Answer (Circle One): TRUE FALSE